



AutoPool[®]

AutoPool[®] 4.0

- PRIVATE LABEL BRANDING
- REMOTE ACCESS
- GEOGRAPHICAL EXCLUSIVITY
- MULTI POOL
- STANDARD PRODUCTS
- BESPOKE PRODUCTS
- INTEGRATED VFD CONTROL
- SIMPLE OPERATOR INTERFACE
- SOPHISTICATED CONTROLS

PROCESS POOLS

Powered by
Pi^π



MADE IN THE UK



EST. 1998



ISO 9001 ✓

ISO 14001 ✓

ISO 45001 ✓



**NEW WEBSITE
LAUNCHED 2022**

WWW.PROCESSPOOLS.COM



**DEDICATED DIVISION
'PROCESS POOLS'**



**DOUBLE QUEEN'S
AWARD RECIPIENT
2021**

AutoPool[®] 4.0



INTRODUCTION

In 2008 Process Instruments took its drinking water controllers, with drinking water quality sensors, and we made a high-quality, low-cost pool controller.

Now 15 years later, having established the pool controller all over the world, Pi has launched the third version with a new pool division within Pi; Process Pools.s

PRODUCTS

Choose from six preconfigured models (see next page) or configure your own 'Autopool[®] Bespoke' system and 'Autopool[®] 4.0 Bespoke' from up to 20 different sensors or 100+ different configurations.





AUTOPOOL® ORP

Includes: pH, temperature, ORP, and 2 control outputs via relays. Back-board mounted with filter and flow regulation.

AutoPool®



AUTOPOOL® CHLORINE

Includes: pH, temperature, free chlorine and 2 control outputs via relays. Back-board mounted with filter and flow regulation.

AutoPool®



AUTOPOOL® DUO

Includes: pH, temperature, free chlorine, ORP and 2 control outputs via relays. Back-board mounted with filter and flow regulation.

AutoPool®



AUTOPOOL® 4.0 ORP

Includes: pH, temperature, ORP and 2 control outputs via relays and 4-20mAs plus either LAN or GPRS Modem IoT Comms. Back-board mounted with filter and flow regulation.

AutoPool® 4.0



AUTOPOOL® 4.0 CHLORINE

Includes: pH, temperature, free chlorine and 2 control outputs via relays and 4-20mAs plus either LAN or GPRS Modem IoT Comms. Back-board mounted with filter and flow regulation.

AutoPool® 4.0



AUTOPOOL® 4.0 DUO

Includes: pH, temperature, free chlorine, ORP and 2 control outputs via relays and 4-20mAs, plus either LAN or GPRS Modem IoT Comms. Back-board mounted with filter and flow regulation.

AutoPool® 4.0



AUTOPOOL® ADDITIONAL POOL

Includes the sensors to match the components of Autopool® ORP, Autopool® CHLORINE OR Autopool® DUO.

AutoPool® & AutoPool® 4.0



AUTOPOOL® PUMPED RETURN

Includes sample collection tank and controls to safely return the sample up to 5 BAR (70 Psi).

AutoPool® & AutoPool® 4.0



AUTOPOOL® SUCTION RETURN

Includes sample collection tank and controls to safely return the sample to the suction side of a pool recirculation pump.

AutoPool® & AutoPool® 4.0

RESELLERS

- ✓ Private label branding (no minimum order)
- ✓ Geographical exclusivity
- ✓ Product training
- ✓ Online support by email and telephone





EASY to USE



ENVIRONMENTALLY RESPONSIBLE



ENHANCED IoT CONNECTIVITY



LOW TOTAL COST of OWNERSHIP



INDUSTRY LEADING SUPPORT



AutoPool® 4.0 Duo with additional pool

ENVIRONMENTALLY SOUND

- The best control uses the least chemicals
- Controlling the pool recirculation pump based on bather demand means much lower electricity usage
- Higher quality sensors means less sensor maintenance so less driving to the pool

EASE of USE

- Simple installation in any pool or spa
- Everything an operator needs to do can be done from a single screen
- Pre-configured to suit most pools

ENHANCED CONNECTIVITY

- World's first MQTT live data connection
- Industry leading cloud based pool controller reporting
- Connects to almost any Building Management System (BMS)

INDUSTRY LEADING SUPPORT

- Including a three year, no quibble warranty
- Online support on demand
- Bespoke installation manuals and video tutorials

LOW TOTAL COST of OWNERSHIP

- Low purchase cost
- Low maintenance cost
- Massive electricity savings





EMAIL: sales@processpools.com
VISIT: www.processpools.com
CALL: +44 1282 422835

Powered by
Pi^π